



HARDENER DELUXE

Hardener for alkyd enamels



V02, 07.2020

Packing: 0.375lt

Description

Special hardener, which increases the hardness and mechanical strength of alkyd varnishes and alkyd enamels, while also accelerating drying time. It is highly recommended for improving the properties of Duco enamels.

Purpose of Use

Additive for the improvement of the mechanical strength of alkyd enamels
Use only by professionals. Not suitable for "do-it-yourself" applications.

Application Instructions

Add Hardener Deluxe to alkyd enamels at 14% by volume and stir well. Do not thin the enamel with the recommended solvent, in case of using Hardener Deluxe. Apply according to application instructions of the enamel.

The product retains its properties for at least one year from the date of manufacture if it is protected from moisture penetration. In case that the expiration date has elapsed, the material may be used if a trial application has preceded it.

Storage

Store the product indoors to avoid exposure to high or low temperatures and high humidity. Avoid sources of heat, radiation, static electricity and food storage. Keep containers tightly closed. After opening the container, use the product for a short time. Close the container tightly again. Particular attention should be paid to the protection of the material from moisture. Moisture penetration causes the material to polymerize and deteriorate.

Precautions - Prevent environmental impacts

Wear protective gloves and panoramic glasses and personal eye protection. Use only in open or well-ventilated areas. Do not eat or drink during handling. Avoid unnecessary exposure. Wash your hands with the appropriate cleaning products.

Clean tools with White Spirit. Do not dispose of rinses and paint residues in the sink, toilet or trash can. Empty containers and paint residues must be destroyed in accordance with applicable law and local regulations. Local government should seek advice on waste disposal and collection.

Keep out of reach of children. Always read label before use. Aske for the Material safety Data Sheet of the product.

All the above information is based on laboratory tests and long-term experience of the company's scientific personnel. Product quality is guaranteed by our operational system, which is based on the requirements of ISO 9001, ISO 14001 and OHSAS 18001 Standards and EMAS Regulation. As producers we don't take any responsibility for any damage that may be caused in cases that the product hasn't been used for the appropriate application and according to the application instructions.

BERLING SA**Paint Industry**

Inofita Viotias, P.C. 32011

tel.: +30 22620 31663, fax.: +30 22620 31293

www.berling.gr / info@berling.gr



